

All of our trade trowels are of the highest quality and have been tested and approved by experienced professionals.

- Grade 420 high carbon stainless steel for easy cleaning and rust-proof longevity.
- 9 rivets, 7 housed and 2 with external reinforcement for extra strength and rigidity.
- Comfort grip rubber handle.
- Brushed shaft designed to increase grip with wet or dirty hands.
- Slide unit packaging to protect the blade after purchase.
- Specially designed 14mm extra long trowel to allow quicker installation of large format tiles.

	Size	Description	Code
	6mm Notch	Stainless Steel Square 6mm Notch Trowel	19171
		(HB)	
2 1			
2 /			
	14		5
All and a second s			

		<mark>Size</mark> 8mm Notch	Description Stainless Steel Squar 8mm Notch Trowel	e	Code 19172
	<mark>Size</mark> 10mm Notch	Description Stainless Steel S 10mm Notch Tre	Square owel	Code 19173	
TITITITI I		<mark>Size</mark> 12mm Notch	Description Stainless Steel Squar 12mm Notch Trowel	e	Code 19174

Description	Code	
Straight Edge Stainless Steel Finishing Trowel	19175	

Size	Description	Code
14mm Notch	Stainless Steel Square	19176
(400mm Long)	14mm Notch Trowel (Extra Length)	

SCRAPERS

ARDEX Scrapers do more than spread and remove product. Forged from one piece of surgical grade stainless steel, incorporating a hammered end. They will be envied on the work site.

- Grade 420 high carbon stainless steel for easy cleaning and rust-proof longevity.
- Single cast tool for strength.
- Comfort grip rubber handle.
- Flat end for use with mallet.

Size	Description	Code
50mm	Scraper 50mm (2")	16935

(AHUEX

Size	Description	Code
75mm	Scraper 75mm (3")	16940

16936

Scraper 100mm (4")

100mm

Description	Code
ARDEX Multitool Plus	1693
What is a Multi Tool?	
 Scraper 	Pail opener
Convex / Concave Scraper	Cleans/opens cracks
Smoother / Spreader	Knife
Cleans paint rollers	Hammer head
Removes, pulls and sets nails	Bottle opener

Size	Description	Code
6mm	6mm Notch Spreader	16939



Description	Code
Bent Wall Scraper	16945

0

(ADD

TROWELS

<text>

Size	Description	Code
200mm	Stainless Steel Gauging Trowel 200mm (8")	16946

Size	Description		Code	
160mm	Stainless Stee 160mm (6.3")	I Splash Trowel	16947	
	100			
	Size	Description		Code

NIPPERS

Precision accurate shap cutting	• Comfort grip handle.	ions for various shaping
16873	AWWW 16874 16875 16906	16907
	Description Straight Jaw Tile Nipper	Code 16873
	Description Curved Jaw Tile Nipper	Code 16874
	Description Combination Jaw Tile Nipper	Code 16875
	Description Pro Tile Nippers	Code 16906
	Description Handheld Tile Cutter	Code 16907

GROUT AND SILICONE

The perfect finish to a tiled surface requires the right tools.



Epoxy Grout Float	16932
Apply and clean up epoxy grout.	
 Firm quality pad ensures smooth application sticky grouts. 	on and resists
2 square edges for complete coverage in a	corners.
 2 rounded edges for smooth application ar gauging of grout. 	nd to prevent

Description	Code
Rubber Grout Float	16933

- For application of all types of grout.
- Tapered to make filling joints and corners easier.
- Flexible Japanese Rubber for Professional grout finishes.

	Description	Code
	Scrubbing sponge	16934
Service States	Remove grout haze and make an easy	y job of grout clean up.

Description	Code
Micro Sponge	70428

 Hydrophilised for premium absorbency whilst holding moisture to minimize dripping and mess.



Description	Code
Grouting Gun	16942
 Applies any ARDEX grout, particular to minimise waste and clean up. 	ly useful for epoxy grouts
 Body cartridge can be reused or re 50mm pvc piping. 	placed with any

Description	Code
Caulking Gun	16943

 Perfect for all cartridge products such as ARDEX Silicones and ARDEX CA 20P Constuction Adhesive.

Description	Code
Grout Saw	16909
Grout Saw Replacement Blades	16910
 Makes easy work of removing old grout for repair of tiled areas. 	ectifications or
 Dual blades can be used for wider joints allow removal or singular for small grout joints. 	wing quicker
 Replacement blades are also available. 	
	 Grout Saw Grout Saw Replacement Blades Makes easy work of removing old grout for repair of tiled areas. Dual blades can be used for wider joints allow removal or singular for small grout joints.

Description	Code
Silicone Applicator	8001697

 Makes easy work of spreading, smoothing and moulding silicone leaving a perfect finish to the silicone joint.



For a professional finish to your job the right tile alignment tools are important.

Size	Description		Code
1.5mm	Cross Spacers 1.5mm	x 100 Bag	16913
1.5mm	Cross Spacers 1.5mm	x 500 Bag	16914
1.5mm	Cross Spacers 1.5mm	x 2000 Tub	16915
3mm	Cross Spacers 3mm	x 100 Bag	16916
3mm	Cross Spacers 3mm	x 500 Bag	16917
3mm	Cross Spacers 3mm	x 800 Tub	16918

- For perfect grout joints.
- Available in 1.5mm and 3mm in either a resalable zip lock bag or resalable tubs.







Description	Code
Tile Wedges x 100 Bag	16919
Tile Wedges x 500 Bag	16893
Tile Wedges x 1500 Tub	16895

- Useful in aligning and holding tiles during application.
- Available in resalable zip lock bags or resalable tubs.

LASH LEVEL ALIGN SPACE HOLD

For perfect tile-to-tile levelling.

The patented *LASH* system is designed for quick installation and reduces costly call back by insuring the finished floor surface is lippage-free. This time saving system helps adjust the height of the tiles and evenly holds their edges throughout the curing process of the setting material.

- Durable nylon construction for secure installation.
- High-visibility yellow wedges are easy to distinguish on the job site.
- Specially designed break-off point clips for swift removal.
- Produces 1/16" joint spacing.
- May be combined with regular tile spacers for wider joints - up to 1/4"
- Wedges are reusable.


Description	Code
Lash Levelling Clips x 100	19202
Lash Levelling Wedges x 100	19203

Advantages to installer:

- Very easy to learn and use at any skill level.
- Great for use with tiles of varied thickness.
- Requires minimal effort to install and remove.
- Virtually eliminates lippage.
- Prevents tile from moving during the installation.
- Speeds up installation.
- Less time at the job = more jobs in one day = more profit.
- Decrease call-backs due to poor installation.




Aligns and holds tiles for a smooth floor.





Step 1

Slide two *LASH* clips under the tile and into the mortar approximately 5cm from each end of the tile. Place the second tile.



Step 2

Slide the reusable LASH wedges into the clips to level, align, space and hold the tiles.



Step 3

Once the mortar sets, simply kick clips, forcing them to snap off at the specially designed break-point.

MIXING AND APPLICATION TOOLS

The ARDEX Research and Development team are world leaders in chemical technology and the ARDEX tool range ensures you get the most out of construction products.



	Description	Code
)	Metal Suction Cup	16941

 Suction Cup rated to 25kg makes perfect placement of large format tiles simple and accurate.

Description	Code	
Marking Pencils	16911	
 Marking pencils easily mark ceramics and 	are removable once	

 Marking pencils easily mark ceramics and are removable once complete for aligning, cutting and laying out tiling jobs.

---- PEEP

Description	Code
White Rubber Mallet	16912

- Set the tile into adhesive bed without marking the tile.
- Useful when using scrapers for extra leverage, closing buckets and an endless variety of uses on site.

 geared variable spectrum floor levellers. It contained and has a removable Mixing paddle has I ARDEX for use with levelling products to the spectrum 	professional 1600 watt, two eed mixer for tile adhesives and omes in a blow-molded case	Two geared variable speed control.
	Description Mixing Paddle	Code 10152
	 Polymer activating mixing paddle f mixers. Specially designed for optimal pro 	
		Innovation: Paddles designed to get optimal results out of tile adhesives and floor levellers.

Description	Code
Ultimate Tool	19730

- Stainless Steel
- Pliers
- Strengthened cutting edge
- 5 position wrench
- Corkscrew
- Bottle Opener
- Large & small Flat Screwdriver
- Large & small Philips Screwdriver
- Carry pouch






MERCHANDISING

ONSTRUCTOR

O services

Engineered customisable tiling installation centres are sleek and modern. Easy to assemble and adjust for various product mixes, the tool bay is a light weight sturdy construction that can be used in multiples or singularly.

- Foam PVC printed header and side graphics.
- LED downlights.
- Heavy duty powdercoated metal frame.
- Flip scan hooks for hangsell products.
- Height adjustable flush bars for hook/ shelf with interchangeable graphics.
- Plastic vacuum formed base.





ARDEX AUSTRALIA PTY LTD

20 Powers Road Seven Hills NSW 2147

Phone: 1300 788 780 Fax: 1300 780 102

Email: technicalservices@ardexaustralia.com Internet: www.ardexaustralia.com

TOLL FREE TECHNICAL SERVICES:

1800 224 070 (Australia) 0800 227 339 (NZ)

ARDEX NEW ZEALAND LTD

32 Lane Street Woolston, Christchurch 8241

Phone: 0800 227 339 Fax: (03) 3849779

Email: info@ardexnz.com Internet: www.ardex.co.nz



ARDEX TILING ACCESSORIES